



American Compactor, Inc.

AMERICAN COMPACTOR, INC.

ACI is America's leading producer of low cost compaction tools. ACI's product line solves problems that require the use of force - measured in tons per square foot. Our products are designed to make less worth more . . . less bulk, less wasted space, less frequent hauls, fewer pickups, and importantly, lower costs in managing and disposing of waste.

We are also specialists in solving waste management problems "at the source". We offer solutions with cost effective tools and at prices that make the purchase of quantities possible for many locations. "At the source" means thousands of points where waste is starting to accumulate. These are accumulations which end up on the dock. On the dock or in the yard, (volume) x (cost per item picked up) usually means excessive costs. Compacting volume produces real savings in lower disposal fees and higher productivity.

Waste managers who make the choice to compact containers to the limit get an easy way to save money. Ideal applications for our compactors include hazardous waste such as paint filters, contaminated rags and wipes, and disposable clothing and gloves. Here are some companies that found our products a good decision. The SMASH IT™ applications are almost as diverse as the list of customers.

COMPANIES THAT FOUND OUR PRODUCTS A GOOD DECISION . . .

*PPG Industries
Eveready
Teledyne
General Electric
Polaroid
McDonnell Douglas
Martin Marietta
3M
Ohio State University
United States Air Force
Reynolds and Reynolds
United States Army
Westinghouse
Delta Faucet
Tennessee Valley Authority
Hitachi Chemical Research
United States Coast Guard
Hewlett Packard
Monsanto*

*Kimball Electronics
Sermatech International
Safety-Kleen Corp.
R.R. Donnelley
Panel Print
Peerless Tube
Alcan
Great Northern
Gulf Stream Aerospace
Occidental Chemical
Mobay Chemical
National Aluminum
FMC Corp.
Toshiba International Corp.
Georgia State University
Florida Power and Light
CytRx Corp.
California Polytech
Amphenol/ Bendix*

*Battelle
Potomac Electric Power
Ricoh Electronics, Inc.
ITT Standard Heat Transfer
Panasonic Disc Services
Corp.
Aavid Thermalloy
Amana Refrigeration
Dupont Powder Coatings
Kaiser Electro-Optics
Maxim Medical – Argon Div.
Parker Aircraft
Pharmachem Corp.
Siemens Energy &
Automation
Chem-Tronics
Hedstrom Corp.
Hoechst Chemical
United States Navy*

Smash It™

Pneumatic-Powered Compactor

Model Number
A55-1001-6PB

FEATURES:

- Heavy Duty Construction
- Simple Operation
- Up to 3,400 lbs. of Force
- Effortless Compaction
- Rapid Cycle Time
- 120 PSI System Maximum
- Powder Coated
- Non-Sparking Composite Ram Plate (Fiberglass & Resin)

BENEFITS:

- Greatly Reduce Waste Disposal Costs
- More Efficient Use of Human Resources
- Add Money to the Bottom Line of Your Company or Business Division
- Less Material Handling / Decrease Storage Space
- Up to 5:1 Compaction Ratio (Varies According to Material Compacted)
- Eliminates Clutter
- Decrease Hazardous Material Disposal by 50% to 75%

USES:

- Hazardous Waste:
 - Paint Filters
 - Nuclear Waste
 - Contaminated Rags & Wipes
 - Disposable Clothing & Gloves
- Wet Waste Material
- Semi-Solid Matter
- Radioactive Waste
- General Trash

SAFETY FEATURES:

- Two Hand, No Tie Down Actuator
- Meets O.S.H.A. Requirements

DIMENSIONS:

- Small Footprint (29" x 24")

Width: 29" Depth: 24" Height: 76"

Cylinder Dimensions:

Diameter: 6" Stroke: 27"

* Drum not included

* Wheels are optional equipment

ACI

American Compactor, Inc.

P.O. Box 1303, Mansfield, OH 44901
Phone: 800-473-5463 Fax: 419-522-1807
www.smash-it.com





American Compactor, Inc.

Cubic Yard Compactor

Model Number: A336-1001-8PB

Description: Air Driven Compactor for 36" x 36" x 36" Containers (Cubic Yard)

Purpose: Compacts contents of cubic yard box. Ideal for hazardous waste such as paint filters and paint masking material, contaminated rags and wipes, absorbent material, and disposable clothing and gloves.

Features:

- Heavy Duty Construction
- Simple Operation
- Up to 6,000 lbs. of Force
- Effortless Compaction
- Rapid Cycle Time (20 seconds)
- 120 PSI System Max
- Forklift Compatible for Easy Mobility

Safety Features:

- Two Hand, No Tie Down Actuator
- Meets O.S.H.A. Requirements

Dimensions:

- Footprint: 48" x 48"
- Overall Height: 83"
- Weight: 300 lbs. (Approximate)
- Cavity for Container: 44" (width) x 45" (height)
- Compaction Plate: 30" diameter (circular)
- Stroke Distance: 27" (22" into container, almost 2/3 to bottom)

Cylinder Dimensions:

- Diameter: 8"
- Stroke: 27"
- Compaction Force: 6,000 @ Air Pressure of 120 PSI





American Compactor, Inc.

TERMS AND CONDITIONS

We ship open account to credit approved firms.

Thirty (30) days net; F.O.B shipping point.

Prices subject to change without notice.

Returns with written authorization only.

If shipment appears damaged, do not pay freight unless damage has been marked by the carrier.

Foreign shipments will be through our export agent, unless otherwise expressly agreed to by ACI.

WARRANTY POLICY

American Compactor, Inc. (ACI) will, at its option, replace or repair without charge to the original purchaser of the SMASH IT™ Compactors, any part or parts found upon examination by ACI, to be defective in material and/or workmanship, if received by ACI for examination within 30 days from the original shipment date.

Pneumatic Compactor cylinders are warranted on material and workmanship for two years from date of purchase.

Damage resulting from accident, abuse, or neglect are conditions under which warranty cannot be claimed nor will warranty apply to damage resulting from failure to follow the manufacturer's instruction for operation nor from the improper selection of a particular application.

All transportation charges on, and damages and loss incurred in connection with the transportation of parts submitted for replacement or repair under this warranty, shall be the responsibility of the purchaser.

American Compactor, Inc. shall not be responsible for any other warranties, guarantees or liabilities either express or implied.



American Compactor, Inc.

Order Form

Please complete order form and fax to (419) 522-1807.

Call (800) 473-5463 if you have any questions.

Corporate Information

Purchase Order: _____

Company Name: _____

Phone Number: _____

Fax Number: _____

Shipping Information

Name _____

Street Address _____

City: _____ State: _____ Zip Code: _____

Trucking Company (Freight Collect): _____

Purchasing Information

Purchasing Contact: _____

Phone Number: _____ ext. _____

Fax Number: _____

Email Address: _____

Product Information

	<i>Model Number</i>	<i>Description</i>	<i>Quantity</i>	<i>Price</i>	<i>Total</i>
1				\$	\$
2				\$	\$
3				\$	\$
4				\$	\$
Total				\$	\$

Payment Information

If you wish to open a credit account with American Compactor, Inc. please include corporate credit information on an attached sheet. This should include Federal Employer I.D. Number, D-U-N-S Number, Bank Reference, and three (3) trade credit references. This order will not be processed until the requested information has been received and verified.

Credit Card

If you wish to pay for your purchase with a credit card, please complete the following:

Please Circle One:



Credit Card Number: _____

Expiration Date: _____

Name On Card: _____

Credit Card Billing Address _____

Signature: _____

Title: _____